


3/4" OFFSET PIVOT SET - SINGLE ACTING




0117 PIVOT SET



0117.25 PIVOT SET



0117.50 PIVOT SET



L0117 PIVOT SET

0117 Pivot Set

For Steel or Wood doors up to 42" wide & weighing up to 300 lb.

For up to 3 hours fire rated door-standard

1	**0180**	Top pivot, door & jamb leaf
2	**0117**	Bottom Arm
3		Floor Bearing, S.S.(heavy duty)
4	**019***	Intermediate pivot (recommended)

Specify Handing - LH or RH

0117.25 Pivot Set

For Steel or Wood doors up to 42" wide & weighing up to 250 lb.

For up to 3 hrs. fire rated door-standard

1	**0180**	Top pivot, door & jamb leaf
2	**0117**	Bottom Arm
5		Side Jamb rest on Floor Bearing, S.S.(heavy duty)
4	**019***	Intermediate pivot (recommended)

Specify Handing - LH or RH

0117.50 Pivot Set

For Steel or Wood doors up to 48" wide & weighing up to 650 lb.

For up to 3 hours fire rated door-standard

1	**0180**	Top pivot, door & jamb leaf
2	**0117.50**	Bottom Arm
3		Floor Bearing, S.S.(heavy duty)
4	**019***	Intermediate pivot (required)

Specify Handing - LH or RH

L0117 Pivot Set

For 1-3/4" lead-lined doors up to 48" wide & weighing up to 1750 lb.

For up to 3 hours fire rated door-standard


1	**L0180**	Top pivot
2	**L0117**	Bottom Arm
3		Floor Bearing, S.S.(heavy duty)
4	**L019***	Intermediate pivot (required)

Specify Handing - LH or RH


* Use of 019/L019 Intermediate Pivot(s) as needed. Door size & Weight Capacity of Pivot set are dependent on use of Intermediate Pivot(s). (order separately)

ARCHITECTURAL BUILDERS HARDWARE
FAMILY-OWNED SINCE 1991 & MADE IN ITASCA, USA.
ABHMFG.COM
abhinfo@abhmfg.com
630.875.9900

3/4" OFFSET PIVOT SET - SINGLE ACTING



0195 PIVOT SET



0173 PIVOT SET

0195 Pivot Set

For Steel or Wood doors up to 48" wide & weighing up to 450 lb.

For up to 3 hours fire rated door-standard

1	**0180**	Top pivot, door & jamb leaf
2	**0195**	Bottom Leaf into side jamb, S.S.
3		Door Leaf, S.S.(heavy duty needle bearing)
4	**019***	Intermediate pivot (recommended)

Specify Handing - LH or RH


0173 Pivot Set

For Steel or Wood doors up to 36" wide & weighing up to 150 lb.


For up to 3 hours fire rated door-standard

1	**0180**	Top pivot
2	**0173**	Bottom Arm into door, S.S.
3		Floor Stud into concrete S.S.(heavy duty bearing)
4	**019***	Intermediate pivot (recommended)

Specify Handing - LH or RH



0147 PIVOT SET



L0147 PIVOT SET

0147 Pivot Set

For Steel or Wood doors up to 48" wide & weighing up to 600 lb.

For up to 3 hours fire rated door-standard

1	**0180**	Top pivot
2	**0147**	Bottom Arm into door
3		Floor Bearing, S.S.(heavy duty)
4	**019***	Intermediate pivot (req'd)

Specify Handing - LH or RH

L0147 Pivot Set

For 1-3/4" lead-lined doors up to 48" wide & weighing up to 800 lb.

For up to 3 hours fire rated door-standard


1	**L0180**	Top pivot
2	**L0147**	Bottom Arm
3		Floor Bearing, S.S.(heavy duty)
4	**L019**	Intermediate pivot (req'd)

Specify Handing - LH or RH


* Use of 019/L019 Intermediate Pivot(s) as needed. Door size & Weight Capacity of Pivot set are dependent on use of Intermediate Pivot(s). (order separately)

ARCHITECTURAL BUILDERS HARDWARE
FAMILY-OWNED SINCE 1991 & MADE IN ITASCA, USA.
ABHMFG.COM
abhinfo@abhmfg.com
630.875.9900

CENTER HUNG PIVOT SET - SINGLE or DOUBLE ACTING



0127 PIVOT SET



0128 PIVOT SET

0127 Pivot Set

For Steel or Wood doors up to 42" wide x 102" height & weighing up to 200 lb.

1	**0320**	Top pivot
2	**0127**	Bottom Leaf into side jamb
3		Door Leaf - Bottom


Non Handed

0128 Pivot Set


For Steel or Wood doors up to 42" wide x 102" height & weighing up to 250 lb.

1	**0320**	Top pivot
2	**0128**	Bottom Leaf on Finished Floor
3		Door Leaf - Bottom

Non Handed



0370 PIVOT SET



0327 PIVOT SET

0370 Pivot Set

For Steel or Wood doors up to 44" wide x 102"* height & weighing up to 500 lb.

1	**0340**	Top pivot
2	**0370**	Bottom Leaf on finished floor
3		Door Leaf - Bottom

Non Handed

* Door taller than 102" - Use 0345 top pivot in lieu of 0340 top pivot.


0327 Pivot Set

For Steel or Wood doors up to 42" wide x 96" height & weighing up to 135 lb.


1	**0321**	Top pivot
2	**0327**	Bottom Leaf into side jamb
3		Door Leaf - Bottom

Non Handed

CENTER HUNG PIVOT SET - SINGLE or DOUBLE ACTING



0117.75 PIVOT SET
0340 - Top Pivot



0117.75 PIVOT SET
0345 - Top Pivot

0117.75 Pivot Set

For Steel or Wood doors up to 48" wide x 102" * ht. or taller & weighing up to 600 lb.

1	**0340**	Top pivot
2	**0117.75**	Bottom Door Leaf
3		Floor Bearing
		S.S. (Heavy Duty)

Non Handed


* Door taller than 102" Use 0345 Top pivot

0117.75 Pivot Set


For Steel or Wood doors up to 48" wide x 102" ht. or taller & weighing up to 600 lb.

1	**0345**	Top pivot
2	**0117.75**	Bottom Door Leaf
3		Floor Bearing
		S.S. (Heavy Duty)

Non Handed



0370 PIVOT SET
0340 - Top Pivot



0370 PIVOT SET
0345 - Top Pivot

0370 Pivot Set (0340 top pivot)

For Steel or Wood doors up to 44" wide x 102"* height & weighing up to 500 lb.

1	**0340**	Top pivot
2	**0370**	Bottom Leaf on finished floor
3		Door Leaf - Bottom

Non Handed

* Door taller than 102" - Use 0345 top pivot in lieu of 0340 top pivot.


0370 Pivot Set (0345 top pivot)


For Steel or Wood doors up to 44" wide x 102" ht. or taller & weighing up to 500 lb.

1	**0345**	Top pivot
2	**0370**	Bottom Leaf on finished floor
3		Door Leaf - Bottom

Non Handed

POCKET PIVOT SET - SINGLE ACTING






0519 POCKET DOOR PIVOT

0519 Pocket Door Pivot
For max. 3 Pocket Pivots per door up to 60" - 90" Tall
Add one pocket pivot for each add'l 30" door height
Max. door load per Pivot - 90 lb.
Max. door swing - 90°
Pivot point is located inside the frame
Allows door to swing into a pocket in the frame at a right angle
1 0519 Frame Portion
2 0519 Door Portion
Non-Handed


ARCHITECTURAL BUILDERS HARDWARE
FAMILY-OWNED SINCE 1991 & MADE IN ITASCA, USA.

ABHMFG.COM
abhinfo@abhmfg.com
630.875.9900


1-1/2" OFFSET PIVOT SET - SINGLE ACTING




0117.5-1.5 PIVOT SET



L0117-1.5 PIVOT SET



0147-1.5 PIVOT SET



E019-1.5 PIVOT

0117.5-1.5 Pivot Set

For Steel or Wood doors up to 48" wide & weighing up to 450 lbs.		
For up to 3 hours fire rated door-standard		
1	**0180-1.5**	Top pivot
2	**0117.5-1.5**	Door Leaf into door,S.S.
3		Floor, mortise cement case mount S.S.(heavy duty)
4	**019-1.5***	Intermediate Pivot (req'd.)
Specify Handing - LH or RH		

L0117-1.5 Pivot Set

For Steel or Wood doors up to 48" wide & weighing up to 500 lbs.		
For up to 3 hours fire rated door-standard		
1	**L0180-1.5**	Top pivot
2	**L0117-1.5**	Door Leaf into door,S.S.
3		Floor, mortise cement case mount S.S.(heavy duty)
4	**L019-1.5***	Intermediate Pivot(req'd.)
Specify Handing - LH or RH		

0147-1.5 Pivot Set

For Steel or Wood doors up to 48" wide & weighing up to 350 lb.		
For up to 3 hours fire rated door-standard		
1	**0180-1.5**	Top pivot
2	**0147-1.5**	Door Leaf into door,S.S.
3		Bottom Leaf on Floor S.S.(heavy duty needle bearing)
4	**019-1.5***	Intermediate Pivot(required)
Specify Handing - LH or RH		

E019-1.5 Intermediate Pivot

For Steel or Wood doors up to 48" wide & weighing up to 350 lb.		
For up to 3 hours fire rated door-standard		
1	**0180-1.5**	Top pivot
2	**0147-1.5**	Door Leaf into door,S.S.
3		Bottom Leaf on Floor S.S.(heavy duty needle bearing)
4	**E019-1.5**	Electrified Intermediate Pivot (electrical power transfer from frame to door (8) 30 AWG wires)
Specify Handing - LH or RH		

* Use of 019/L019 Intermediate Pivot(s) as needed. Door size & Weight Capacity of Pivot set are dependent on use of Intermediate Pivot(s). (order separately)